



REMOVE 3 COURSES OF BRICK & REPLACE WINDOW LOCATED ON C-WING. SEE DETAIL 2/A1.5



REMOVE 3 COURSES OF BRICK & REPLACE WINDOW LOCATED ON C-WING. SEE DETAILS 2/A1.5





REMOVE 3 COURSES OF BRICK & REPLACE WINDOW LOCATED ON C-WING. SEE DETAILS 2/A1.5



REMOVE 3 COURSES OF BRICK & REPLACE WINDOW LOCATED ON C-WING. SEE DETAL 2/A1.5



REPAIR INTERIOR WINDOW HEADER THAT HAS WATER DAMAGE LOCATED IN THE WAITING ROOM



REPLACE PRIMARY CARE STOREFRONT ENTRANCE C WING EAST ELEVATION SOUTH END



DO NOT DISTURB THE VEGETATION DURING CONSTRUCTION C WING EAST ELEVATION. SEE CALLOUTS 5




REPLACE EMERGENCY STOREFRONT ENTRANCE C WING EAST ELEVATION NORTH END

### DEMOLITION ELEVATION NOTES

1. REMOVE THREE COURSES OF EXISTING FACE BRICK TO EXPOSE EXISTING LINTEL. INSTALL WATER BARRIER ON WALL & INSTALL THREE WATER EXIT WICKS. INSTALL 4 COURSES OF NEW BRICK, INSTALL NEW GALVANIZED LINTEL. THE LINTEL SHALL BE PAINTED TO MATCH THE NEW WINDOW COLOR. ON INTERIOR REPLACE WATER DAMAGE SHEETROCK WITH DURAROCK CEMENT BOARD. USE TAPPING COMPOUND & FINISH SMOOTH WITH INTERIOR PAINT.
2. REPLACE 5 EXISTING WINDOWS WITH NEW BLAST RESISTANT WINDOW OF .32 U VALUE MIN. ACCORDING TO THE TYPICAL DETAILS, FLASHING, WEEP HOLES, & CAULKING AS REQUIRED. REMOVE ANY DAMAGED INDIVIDUAL FACE BRICK WITH NEW FACE BRICK THAT MATCH THE EXISTING BRICK IN COLOR & TEXTURE OR FROM SALVAGED BRICK.
3. REPLACE THREE EXISTING STOREFRONTS WITH NEW BLAST RESISTANT STOREFRONT ACCORDING TO THE MANUFACTURES TYPICAL DETAILS, FLASHING, & CAULKING AS REQUIRED. SEE STOREFRONT DRAWINGS & DETAILS ON DRAWING SHEET A8.3 PAGE 27 OF 32.
4. REMOVE RUST, PRIMER AND PAINT STEEL DOORS ON 4th FLOOR C WING PENTHOUSE 3 DOUBLE DOORS AND 1 SINGLE DOOR.
5. DURING CONSTRUCTION MINIMIZE DISTURBANCE OF SHRUBBERY, FLOWERS, & PLANT LIFE IF ANY PLANT LIFE GETS DESTROYED, IT MUST BE REPLACED. SMOKING IS PROHIBITED NEAR ANY ENTRANCES OR EXITS.

### 2 EAST C WING WINDOW REPLACEMENT


AI.5 SCALE: 1/2" = 1'-0"



### 1 BLDG. 1 C WING EAST ELEVATION

AI.5 SCALE: 1/8" = 1'-0"

5 WINDOWS 54" X 65"

REVISIONS:	DATE:	 <div>Dept. of Veterans Affairs Jack C. Montgomery Medical Center 1011 Honor Height Drive Muskogee, Oklahoma 74401</div>	APPROVED:	APPROVED: President A.F.G.E. 2250	APPROVED: Energy Engineer	APPROVED: Medical Center Director	DRAWING TITLE		PROJECT TITLE		DATE	Department of Veterans Affairs
DETAIL 2/A1.5 ADDED	23 MAY 2013		APPROVED:	APPROVED:	APPROVED: Safety Manager	APPROVED: Associate Director	BLDG 1 C WING EAST ELEVATION		REPLACE WINDOWS BUILDING #1		27 DECEMBER 2012	
			APPROVED:	APPROVED:	APPROVED: Infection Control Nurse	APPROVED: Chief of Staff	PROJECT NO. 623-12-102	CONTRACT NO. VA256612C0232	DESIGNED BY: PROUD VETERANS	DRAWN BY: AS	CHECKED BY: NTG	DWG. 7 OF 31
			APPROVED:	APPROVED:	APPROVED: Industrial Hygienist	APPROVED: Chief of Engineering Service	BUILDING NO. Building #1	AUTOCAD FILE NAME: 62312102A1.5	LOCATION Jack C. Montgomery VA Medical Center			